


• NOHA MODEL 100



NOHA GENERAL PURPOSE HOSE REEL FOR WALL-MOUNTING

A general purpose hose reel is made for daily use, and has a handle to simplify rewinding. The nozzle can be supplied with a claw coupling to facilitate detachment when the hose is used for other purposes.

For general cleaning and maintenance activities at industrial plants, parks and sports arenas. Has to be ordered with the red colour option to be approved as a fire hose reel.

NOHA MODEL 100 IS SUPPLIED WITH:

- Hose reel with side discs powder coated RAL 6024 green gloss 70
- 1" manual stop valve
- NOHA quick-change coupling system on reel outlet
- NOHA jet/spray/shut-off nozzle. Spindle made of brass
- NOHA special black hose, designed to standard EN694 for fire hose reels
- Wall-mounting bracket
- Roller hose guide allowing the hose to be run out in any direction
- Heavy duty centre parts made of brass
- Adjustable brake
- Clockwise rotation
- NOHA installation instructions


Model	Hose length in metres		Dimensions in mm Ø x A	Order number
	19 mm	25 mm		
100	20		600 x 175	155100
100	25		600 x 175	155104
100	30		600 x 190	155177
100		15	600 x 175	155179
100		20	600 x 230	155608
100		25	600 x 230	155105
100		30	600 x 275	155276

OPTIONS

- Light hose
- Hose reel RAL 3001 red



• NOHA MODEL 100A



NOHA GENERAL PURPOSE HOSE REEL WITH AUTOMATIC STOP VALVE FOR WALL-MOUNTING

The automatic stop valve opens to provide full capacity within just two revolutions of the reel.

A general purpose hose reel is made for daily use, and has a handle to simplify rewinding. The nozzle can be supplied with a claw coupling to facilitate detachment when the hose is used for other purposes.

For general cleaning and maintenance activities at industrial plants, parks and sports arenas. Has to be ordered with the red colour option to be approved as a fire hose reel.

NOHA MODEL 100A IS SUPPLIED WITH:

- Hose reel with side discs powder coated RAL 6024 green gloss 70
- Integrated NOHA automatic stop valve
- NOHA quick-change coupling system on reel outlet
- NOHA jet/spray/shut-off nozzle. Spindle made of brass
- NOHA special black hose, designed to standard EN694 for fire hose reels
- Wall-mounting bracket
- Roller hose guide allowing the hose to be run out in any direction
- Heavy duty centre parts made of brass
- Adjustable brake
- Clockwise rotation
- NOHA installation instructions


Model	Hose length in metres		Dimensions in mm Ø x A	Order number
	19 mm	25 mm		
100A	25		600 x 175	155168
100A	30		600 x 190	155178
100A		25	600 x 230	155169
100A		30	600 x 275	155277

OPTIONS

- Light hose
- Hose reel RAL 3001 red
- Anti-clockwise rotation



• NOHA MODEL 100SW



NOHA SWINGING GENERAL PURPOSE HOSE REEL FOR WALL-MOUNTING

General purpose hose reel mounted on a swinging arm with internal waterways which swings 180°.

A general purpose hose reel is made for daily use, and has a handle to simplify rewinding. The nozzle can be supplied with a claw coupling to facilitate detachment when the hose is used for other purposes.

For general cleaning and maintenance activities at industrial plants, parks and sports arenas. Has to be ordered with the red colour option to be approved as a fire hose reel.

NOHA MODEL 100SW IS SUPPLIED WITH:

- Hose reel with side discs powder coated RAL 6024 green gloss 70
 - 1" manual stop valve
 - NOHA quick-change coupling system on reel outlet
 - NOHA jet/spray/shut-off nozzle. Spindle made of brass
 - NOHA special black hose, designed to standard EN694 for fire hose reels
- NOHA swinging arm with internal waterways, hinge on right hand side
 - Heavy duty centre parts made of brass
 - Adjustable brake
 - NOHA installation instructions


Model	Hose length in metres		Dimensions in mm W x H x D	Order number
	19 mm	25 mm		
100SW	25		675 x 660 x 235	155106
100SW	30		675 x 660 x 235	155271
100SW		25	675 x 660 x 235	155107
100SW		30	675 x 660 x 235	155272

OPTIONS

- Light hose
- Hose reel RAL 3001 red
- Hinges on left hand side



• NOHA MODEL 100SWA



NOHA SWINGING GENERAL PURPOSE HOSE REEL WITH AUTOMATIC STOP VALVE FOR WALL-MOUNTING

General purpose hose reel mounted on a swinging arm with internal waterways which swings 180°. The automatic stop valve opens to provide full capacity within just two revolutions of the reel.

A general purpose hose reel is made for daily use, and has a handle to simplify rewinding. The nozzle can be supplied with a claw coupling to facilitate detachment when the hose is used for other purposes.

For general cleaning and maintenance activities at industrial plants, parks and sports arenas. Has to be ordered with the red colour option to be approved as a fire hose reel.

NOHA MODEL 100SWA IS SUPPLIED WITH:

- Hose reel with side discs powder coated RAL 6024 green gloss 70
- Integrated NOHA automatic stop valve
- NOHA quick-change coupling system on reel outlet
- NOHA jet/spray/shut-off nozzle. Spindle made of brass
- NOHA special black hose, designed to standard EN694 for fire hose reels
- NOHA swinging arm with internal waterways, hinge on right hand side
- Heavy duty centre parts made of brass
- Adjustable brake
- NOHA installation instructions

Model	Hose length in metres		Dimensions in mm W x H x D	Order number
	19 mm	25 mm		
100SWA	25		675 x 660 x 235	155108
100SWA	30		675 x 660 x 235	155273
100SWA		25	675 x 660 x 235	155109
100SWA		30	675 x 660 x 235	155274

OPTIONS

- Light hose
- Hose reel RAL 3001 red
- Hinges on left hand side

