

### **Environmental Declaration**

Företag/Company				Datum/Date	Utgåva/Edition	ID/ID No	Sida/Page
IMI Hydronic Engineering AB SE-524 80 LJUNG	Tel Fax E-r		+46 (0)513 540 00 +46 (0)513 508 44 info@tahydronics.com	2018-12-20	2	ED-3200-en	1 (3)
Utfärdare/Issuer		Godkänd/Approved		Titel/Title			
Maria Ivansson		Christofer Sundqvist		Environmental Declaration for product: Overflow valve BPV			

### Manufacturer

Namne	IMI Hydronic Engineering AB
Adress	SE-520 80 Ljung, Sweden
Phone	+46 (0)513-54000
Managmentsystem	IMI Ljung has a certified quality-, environment-, and safety management system. The management system is also certified due to the Pressure Equipment Directive . The certificates are published at homepage, <a href="https://www.imi-hydronic.com">www.imi-hydronic.com</a>

**General product information** 

Designation:	Valve
Type of product:	Overflow valve BPV
Product approvals acc to:	Brass, AMetal: RISE 1105/99, 4378/86
Technical service life:	>20 years
The product is acc to REACH defined as:	Product
ROHS-directive (covers electric- and electronical equipment):	Brass alloys which contains <4% Bly(Pb) are excluded in ROHS.

**Material composition** 

Product componentes	Specification of components composition	CAS-no	Weigth %	Comments
Brass	Cu 65%, Pb 2%, Si 0,7%, Zn 32% CAS: Cu 7440-50-8, Zn 7440-66-6, Pb 7439-92-1, Si -,			
Castiron				
Stainless steel	Spring		<1	
Steel				
Aluminium				
Redmetal				
Plastics	Guide ring in PTFE PTFE=PolyTetraFluoroEthylene		<1	Ingredient substances are not declared.
Rubber	O-ring in EPDM EPDM= EthylenePropyleneDieneMonomer			Ingredient substances are not declared.
Insulation				
Paint/ Laquer				
Other surface tr.				
Other surfase tr.				

Other material information	Yes	No	Ev comment
Product is Chrome plated		X	
Product is Nicel plated		х	
Product is galvanized		х	
Is product containing recycled material	x		Ametal is made of approx 80% recycled raw materials.  Splits and scrap from the own production are recycled in the in-house foundry.









### **Environmental Declaration**

Företag/Company				Datum/Date	Utgåva/Edition	ID/ID No	Sida/Page
IMI Hydronic Engineering AB SE-524 80 LJUNG	Tel Fax E-r		+46 (0)513 540 00 +46 (0)513 508 44 info@tahydronics.com	2018-12-20	2	ED-3200-en	2 (3)
Utfärdare/Issuer		Godkänd/Approved		Titel/Title			
Maria Ivansson		Christofer Sundqvist		Environmental Overflow valve		or product:	

### **REACH and SVHC**

Information about SVHC (Candidate list) acc. to REACH				
The product contains				
Packaging	The packaging is not containing any substances on the Candidate list			
X Brass	The Cupper alloy are containing > 0,1% Bly (Pb), CAS No 7439-92-1, which was put in the Candidate list 2018-06-27.			
Redmetal				

Packaging

IMI Hydronic Engineering AB is listed in REPA-register: Reg no 55603362-5601.						
Materials	Yes	No				
Cardboard / Paper	x		Produced of recycled material at packaging supplier.			
Plastic (Polyethylene)						

# Manufacturing stage

Energy consumption	The company has worked with energy savings since 1989. The company has an in-house foundry, there for example heat excess is used for heating of the offices.
Sustainability	The owner of the company, IMI plc, has made an overall commitment to fulfil FN Global Compact. Sustainability work is covered in for example "IMI Code of Conduct", and is reported in the Annual report. See also: <a href="https://www.imiplc.com/">https://www.imiplc.com/</a> The overall commitment from IMI plc, has been introduced through routines at IMI Ljung.

# **Transports**

Transport contractors	Transport contractors with pronounced sustainability work are chosen in first hand.
To and from the	Lorry or parcel post.
company	The company is working with transports optimization.

# **Usage stage**

Storage	No special demands. Normal practice.
Instructions for	Can be found on homepage: www.imi-hydronic.com
use	
Emissions	No emissions, if used according to normal practice and instructions for use.
Energy	The products are not energy labeled.
	To lower the energy usage as much as possible, balancing of the products is
	recommended,









### **Environmental Declaration**

Företag/Company IMI Hydronic Engineering AB	Te	- (-/	Datum/Date	Utgåva/Edition	ID/ID No	Sida/Page
SE-524 80 LJUNG	Fax E-r	+46 (0)513 508 4 nail info@tahydronic	2018-12-20	2	ED-3200-en	3 (3)
Utfärdare/Issuer		Godkänd/Approved	Titel/Title			
Maria Ivansson		Christofer Sundqvist	Environmenta Overflow valve		or product:	

**Waste/ Worn out product** 

IMI Hydronic Engineering is listed in the REPA-register: Reg no 55603362-5601.				
Materials	Yes	No		
Worn out product can be recycled	x		Leave worn out products for recycling.	
Card board / Paper	X		Recycle packing/paper.	
Plastic (Polyethylene)		X	Recycle plastic.	

### **Waste codes**

Waste	EWC code
Brass	17 04 01
Steel	17 04 05
Card Board	15 01 01
Paper(Packing)	15 01 01
Plastic	15 01 02

## CO<sub>2</sub>-load

foundry	Climate indicator from Swedish Foundry Association (SFA) shows that Swedish foundries has the lowest emission of CO <sub>2</sub> per tonne casting.			
castings	The climate indicator from SFA shows for Brass, 71 kg CO <sub>2</sub> per tonne casting.			
	See also homepage <a href="http://www.gjuteriforeningen.se/dold-mapp-1/folder/">http://www.gjuteriforeningen.se/dold-mapp-1/folder/</a>			





