


# Gully body ACO balcony drain with/without bell



## Product information for the product group


















## Item Technical Data 0174.58.00

Nominal width	Product version	Socket inclination	Dimensions			
			d1 [mm]	d3 [mm]	d4 [mm]	l2 [mm]
DN 50	without form-work bell	90°	53	98	302	200

## Accessories

Description	Used with	Weight [kg]	Item number
 <b>Grating holder</b> ■ Made of plastic		0.25	0174.58.61
		0.25	0174.58.71
 <b>Grating holder</b> ■ Stainless steel, material grade 304 ■ With plastic coating		0.8	0174.58.62
		1.1	0174.58.72

	Description	Used with	Weight [kg]	Item number
	<b>Grating holder</b> ■ Stainless steel, material grade 304 ■ With strainer perforations		0.7	0174.58.73
			0.6	0174.58.63
	<b>Casing bell</b> ■ Made of plastic (PE) ■ Can be pushed on			
		DN 50	0.1	0174.43.50
		DN 70	0.2	0174.43.51
	DN 100	0.2	0174.43.52	
	<b>Strainer</b> ■ Made of stainless steel	■ Balcony and terrace gullies <input type="checkbox"/> Direct gully with supporting flange and with bell		
	DN 70; h = 11 mm; d = 117 mm		0.1	0174.96.82
	DN 100; h = 8 mm; d = 141 mm		0.2	0174.52.49
	<b>Ring strainer</b> ■ Made of stainless steel	■ Balcony and terrace gullies <input type="checkbox"/> Direct gully bodies	0.1	
				0174.52.51
				0174.58.65
				0174.52.56
	DN 100; h = 10 mm; d = 141 mm; d1 = 103 mm			0174.52.57
	<b>Grating</b> ■ Stainless steel, material grade 304 ■ Grating dimensions (R): 117 x 117 mm	■ Grating holders <input type="checkbox"/> 0174.43.20 <input type="checkbox"/> 0174.43.22 <input type="checkbox"/> 0174.43.24 <input type="checkbox"/> 0174.43.46 <input type="checkbox"/> 0174.43.47 <input type="checkbox"/> 0174.43.48	0.2	0174.52.58
	<b>Grating</b> ■ Stainless steel, material grade 304 ■ Grating dimensions (R): 142 x 142 mm	■ Grating holder <input type="checkbox"/> 0174.43.21 <input type="checkbox"/> 0174.43.23 <input type="checkbox"/> 0174.43.26	0.3	0174.52.59
	<b>Bottom section</b>			0174.58.86
				0174.58.87

	Description	Used with	Weight [kg]	Item number
				0174.58.88
	<b>Insulation casing</b>			
				0174.59.09
				0174.59.10
				0174.59.11
	<b>Grating</b>		0.2	0174.58.66
	<b>Grating</b> ■ Stainless steel, material grade 304 ■ Grating dimensions (R): 117 x 117 mm	■ Grating holders <input type="checkbox"/> 0174.43.20 <input type="checkbox"/> 0174.43.22 <input type="checkbox"/> 0174.43.24	0.2	0174.52.60
	<b>Grating</b> ■ Stainless steel, material grade 304 ■ Grating dimensions (R): 142 x 142 mm	■ Grating holder <input type="checkbox"/> 0174.43.21 <input type="checkbox"/> 0174.43.23 <input type="checkbox"/> 0174.43.26	0.2	0174.52.61
	<b>Strainer pipe</b> ■ Stainless steel, material grade 304 ■ Shape: round ■ Including sealing element			
			0.8	0174.58.64
			0.9	0174.58.74
	<b>Flange seal set</b> ■ Consisting of: <input type="checkbox"/> 1 flange seal for loose flange <input type="checkbox"/> 1 flange seal for fixed flange ■ Thickness: 4 mm	■ Flat roof gullies Passavant Spin made of cast iron <input type="checkbox"/> DN 70/DN 100 ■ Flat roof gullies Spin made of cast iron <input type="checkbox"/> DN 70 ■ Flat roof gullies Jet made of cast iron <input type="checkbox"/> DN 50		
	EPDM		0.4	5169.20.26
	PVC-weich		0.4	5169.30.26

Description	Used with	Weight	Item number
		[kg]	
NBR/SBR		0.5	5169.40.26

You can find further accessories under → <https://www.buildingdrainage.aco/search/?q=0174.58.00>