
Car park gullies Passavant (DN 70 - DN 100)

Product information for the product group

ACO Product benefits

- Guaranteed fire protection
 - ☐ No additional fire load
 - ☐ Fire protection classes: R 30 R 120
- Permanent resistance
 - ☐ Maintenance-friendly
 - □ 100% UV resistant
- Flexibility in sealing
 - □ PVC/PE/PP/Bitumen
- Variable installation
 - On-site height adjustment by means of cast iron adjustment ring
 - ☐ Can be utilised as emergency drainage
- Few components, compact design
 - ☐ Core drill diameter just 160 mm, also with fire protection Fit-in





- Made of cast iron
 - ☐ Building material class A1, non-flammable
 - ☐ With paint coat (transport protection)
- \square High pressure resistance > 700 N/mm²
- Tested in accordance with EN 1253-2
- abZ: Z-19.17-2430 aBG: Z-19.53-2522
- Load class: M 125
- 100 mm flange for all covering types

Item Technical Data 5934.00.02

Socket inclination	Description	Recess (LxB)	Weight
		[mm]	[kg]
Nominal width: DN 70			
90°	Removable dirt trap: Stainless steelWithout connecting rimWith	230 x 230	8.6



Accessories

	Description	Used with	Weight	ltem number	
			[kg]		
	 Mains connection: 220 – 240 V Degree of protection: IP 67 Connection line H05RN-F2x1,0 Length: 1 m Height: 95 mm 				
	Flat roof heating Nominal power: 25 W	Flat roof gullies Jet/Spin series made of stainless steel; DN 40 – DN 125; Parapet wall gully Spin/Jet made of stainless steel; 45° and 90°; Turboflow emergency gully made of stainless steel; DN 50 – DN 70; Flat roof gullies Passavant Spin made of cast iron; DN 70 – DN 100	0.3	7000.85.10	
	Flat roof heating with thermostatNominal power: 25 W	Flat roof gullies Jet/Spin series made of stainless steel; DN 40 – DN 125; Parapet wall gully Spin/Jet made of stainless steel; 45° and 90°; Turboflow emergency gully made of stainless steel; DN 50 – DN 70; Flat roof gullies Passavant Spin made of cast iron; DN 70 – DN 100	0.3	7000.85.20	
	Fire protection insert ■ Note: □ The discharge value is reduced by use □ A Fit-in must be installed for core hole drilling □ aBG: Z-19.53-2439 □ abZ: Z-19.17-2430	 Flat roof gullies Passavant Spin made of cast iron Parking deck gullies Passavant made of cast iron DN 70 Socket inclination: 90° 	0.5	7033.20.02	
Cross-material accessories	Fire protection insert ■ Note: □ The discharge value is reduced by use □ A Fit-in must be installed for core hole drilling □ aBG: Z-19.53-2439 □ abZ: Z-19.17-2430	 Flat roof gullies Passavant Spin made of cast iron Parking deck gullies Passavant made of cast iron DN 100 Socket inclination: 90° 	0.5	7034.20.02	



Description	Used with	Weight	ltem number	
		[kg]		
 Adjustable height ■ Made of cast iron, with paint finish ■ Load class: M 125 ■ Height-adjustability: 25 – 40 mm 	■ Flat roof gullies Passavant Spin made of cast iron □ DN 70/DN 100 ■ Parking deck gullies Passavant made of cast iron ■ Grating with frame □ 7000.08.02 □ 7000.44.02	1.3	7000.05.02	
Adjustable height ■ Made of cast iron, with paint finish ■ Load class: M 125 ■ Height-adjustability: 45 – 60 mm	 Flat roof gullies Passavant Spin made of cast iron DN 70/DN 100 Parking deck gullies Passavant made of cast iron Grating with frame 7000.08.02 7000.44.02 	1.9	7000.06.02	
Removable dirt trap ■ Made of stainless steel	■ Flat roof gullies Passavant Spin made of cast iron □ DN 70 – DN 100 □ Socket inclination: 90°/0° ■ Parking deck gullies Passavant made of cast iron □ DN 70 – DN 100 ■ Top part made of cast iron □ DN 70/DN 100		7000.03.02	

You can find further accessories under \rightarrow https://www.buildingdrainage.aco/search/?q=5934.00.02

